



Pijpdiameter (mm)
Pipe diameter (mm)
Diamètre buse (mm)
Abgasstutzen (mm)



Gewicht (kg)
Weight (kg)
Poids (kg)
Gewicht (kg)



Aardgas
Natural gas
Gaz naturel
Erdgas



Electrische ontsteking
Electrical ignition
Allumage électrique
Elektrische Zündung



Efficiëntie
Efficiency
Efficacité
Effizienz



Bovenaansluiting
Connection top
Raccordement dessus
Anschluss oben



Propan
Propane
Propane
Propan



Timer met thermostaat
Timer with thermostat
Minuterie et thermostat
Timer mit Thermostat



Vermogen output (kW)
Capacity output (kW)
Puissance output (kW)
Leistung output (kW)






Houtset
Wood logs
Bûche
Holzsatz



Gesloten systeem
Balanced flue
Système ventouse
Raumluftunabhängig



Afstandsbediening
Remote control
Commande à distance
Fernbedienung





Pijpdiameter (mm)
Pipe diameter (mm)
Diamètre buse (mm)
Abgasstutzen (mm)



Gewicht (kg)
Weight (kg)
Poids (kg)
Gewicht (kg)



Aardgas
Natural gas
Gaz naturel
Erdgas



Efficiëntie
Efficiency
Efficacité
Effizienz



Bovenaansluiting
Connection top
Raccordement dessus
Anschluss oben



Propan
Propane
Propane
Propan








Vermogen output (kW)
Capacity output (kW)
Puissance output (kW)
Leistung output (kW)



Houtset
Wood logs
Bûche
Holzsatz



Gesloten systeem
Balanced flue
Système ventouse
Raumluftunabhängig





Pijpdiameter (mm)
Pipe diameter (mm)
Diamètre buse (mm)
Abgasstutzen (mm)



Gewicht (kg)
Weight (kg)
Poids (kg)
Gewicht (kg)



Aardgas
Natural gas
Gaz naturel
Erdgas



Electrische ontsteking
Electrical ignition
Allumage électrique
Elektrische Zündung



OPTIONAL

ECO
WANDERS ECO WAVE SYSTEM



Efficiëntie
Efficiency
Efficacité
Effizienz



Bovenaansluiting
Connection top
Raccordement dessus
Anschluss oben



Propan
Propane
Propane
Propan



Timer met thermostaat
Timer with thermostat
Minuterie et thermostat
Timer mit Thermostat



Vermogen output (kW)
Capacity output (kW)
Puissance output (kW)
Leistung output (kW)







Houtset
Wood logs
Bûche
Holzsatz



Gesloten systeem
Balanced flue
Système ventouse
Raumluftunabhängig



Afstandsbediening
Remote control
Commande à distance
Fernbedienung





Pijpdiameter (mm)
Pipe diameter (mm)
Diamètre buse (mm)
Abgasstutzen (mm)



Gewicht (kg)
Weight (kg)
Poids (kg)
Gewicht (kg)



Aardgas
Natural gas
Gaz naturel
Erdgas



Efficiëntie
Efficiency
Efficacité
Effizienz



Bovenaansluiting
Connection top
Raccordement dessus
Anschluss oben



Propan
Propane
Propane
Propan






Vermogen output (kW)
Capacity output (kW)
Puissance output (kW)
Leistung output (kW)



Houtset
Wood logs
Bûche
Holzsatz



Gesloten systeem
Balanced flue
Système ventouse
Raumluftunabhängig





Pijpdiameter (mm)
Pipe diameter (mm)
Diamètre buse (mm)
Abgasstutzen (mm)



Gewicht (kg)
Weight (kg)
Poids (kg)
Gewicht (kg)



Aardgas
Natural gas
Gaz naturel
Erdgas



Electrische ontsteking
Electrical ignition
Allumage électrique
Elektrische Zündung



OPTIONAL

ECO
WANDERS ECO WAVE SYSTEM



Efficiëntie
Efficiency
Efficacité
Effizienz



Bovenaansluiting
Connection top
Raccordement dessus
Anschluss oben



Propan
Propane
Propane
Propan



Timer met thermostaat
Timer with thermostat
Minuterie et thermostat
Timer mit Thermostat



Vermogen output (kW)
Capacity output (kW)
Puissance output (kW)
Leistung output (kW)



Houtset
Wood logs
Bûche
Holzsatz



Gesloten systeem
Balanced flue
Système ventouse
Raumluftunabhängig



Afstandsbediening
Remote control
Commande à distance
Fernbedienung

